


5-port 1000Mbps Ethernet Switch (Plastic Shell)



Product Highlights:

- 5 *1000Mbps RJ45 ports
- Compliant with IEEE802.3 and IEEE802.3u,IEEE802.3az,IEEE802.3ab standards
- RJ45 port supports 100/1000Mbps adaptive
- Supports automatic port flipping (Auto MDI/MDIX)
- The panel indicator lights will monitor the working status and assist in fault analysis
- Flow control method, IEEE802.3x standard for full duplex and Backpressure standard for half duplex

Hardware Features:

Description	Specification
Model	1G05-AT
Interface	5 *1000Mbps RJ45 ports
Port Standard	IEEE802.3 (Ethernet) IEEE802.3u (Fast Ethernet) IEEE802.3x (Flow Control) IEEE802.3ab (Gigabit Ethernet) IEEE802.3az(Energy Efficient Ethernet)
Switching Capacity	10Gbps
Packet Forwarding Rate	7.44Mpps
Packet Buffer	384Kbyte
MAC Address Table	2K
Transmission Method	Store and Forward
Power Supply	AC 100-240V,50/60Hz DC 5V 1A
Mainboard Power Consumption	2.1W
Structure Information	Product Dimensions:92*51*21.5mm
	Packaging Dimensions: 93*82*51mm
	Product Net Weight: 0.062Kg



5-Port 1000Mbps Ethernet Switch (Plastic Shell)

Packing Information	Product Gross Weight:0.132Kg
	Carton Dimensions:435*280*395mm
	Packing Quantity: 100PCS
	Packing Weight: 14.2KG
Package Contents	switch 1pcs, Power adapter 1pcs, manual 1pcs, certificate of qualification
Fan Quantity	1pcs
Installation	0
Surge Protection	desktop
Operating Temperature	
Storage Temperature	0~40°C
Operation Humidity	-40°Cto 70°C
Storage Humidity	10%~90%, non condensing
PWR	5%~95%, non condensing
1-5 port	On: Powered on On: Link normal Off: Link blocked Blinking: Data transmitting Off: Powered off

Product Structure Diagram:

